

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 10/06/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/944,892	08/31/2001	Donald J. Remboski	IA00002	4080
22917	7590 10/06/2006		EXAMINER:	
MOTOROLA, INC. 1303 EAST ALGONQUIN ROAD			QURESHI, AFSAR M	
IL01/3RD	LGONQUIN RUAD		ART UNIT	PAPER NUMBER
SCHAUMBURG, IL 60196			2616	•

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Application Number: 09/944,892 Filing Date: August 31, 2001 Appellant(s): REMBOSKI ET AL.

MAILED
OCT / 6 2006

GROUP 2600

Anthony G. Sitko For Appellant

SUPPLEMENTAL EXAMINER'S ANSWER

This is in response to the remand from the Board of Patent and Appeals and Interference, 8/24/2006, requiring to revise the Headings of Examiner's Answer mailed on 8/8/2006.

Art Unit: 2616

(1) Real Party in Interest

A statement identifying the real party in interest is contained in the brief

(2) Related Appeals and Interferences

A statement identifying the related appeals and interferences, which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

(3) Status of Claims

The statement of the status of the claims contained in the brief is correct.

(4) Status of Amendments After Final

No amendment after final has been filed.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

(7) Appendix

Copy of the appeal claims in Appendix is correct.

(8) Evidence Relied Upon

The following is a listing of the evidence relied upon in the rejection of claims under appeal

5,499,247	Matsuda et al.	3-1996
5,940,372	Bertin et al.	8-1999

Application/Control Number: 09/944,892 Page 3

Art Unit: 2616

(9) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed

claims:

Claims 1-9, 11-21 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Matsuda et al. (US 5,499,247) in view of Bertin et al. (US

5,940,372).

Matsuda et al. discloses an automobile multiplex transmission system

comprising the following features:

regarding claim 1, as depicted in Fig. 1, comprising a first device (12) and a

second device (17), an active network (18) communicatively coupling the first

and second devices;

regarding claim 11, a data interface to each of the first device (12) and the

second device (17) for coupling the first device and the second device,

respectively, to the active network (18), wherein the data interface operates to

accept data from or deliver data to the device, respectively, independently of the

functionality of the respective device; a plurality of coupled active network

elements coupling the interfaces;

Art Unit: 2616

regarding claim 18, a method of communicating data between a first device (12) and a second device (17) within the vehicle, the method comprising: communicatively coupling the devices utilizing a data transport medium (18).

Matsuda et al. does not disclose the following features:

regarding claim 1, the active network having an overall communication capability and a portion of the overall communication being reserved for communication usage by the first device;

regarding claim 2, the portion being exclusively reserved for the first device;
regarding claim 3, wherein an unreserved portion of the overall
communication capability is shared by each of the first and second devices;
regarding claim 4, wherein the portion comprises a plurality of communication
paths between the first device and the second device;

regarding claim 5, wherein the portion is reconfigurable;

regarding claim 6, wherein the portion is reconfigurable responsive to a condition of the active network;

regarding claim 7, wherein the condition is one of over-capacity and undercapacity;

regarding claim 8, wherein the condition is a failure in the active network;

regarding claim 9, wherein the active network comprises a packet data network;

regarding claim 11, a portion of the active network elements, the portion being reserved for communication usage by the first device;

Art Unit: 2616

regarding claim 12, wherein the portion is exclusively reserved for the first device; regarding claim 13, wherein the portion includes a plurality of communication paths between the first device and the second device;

regarding claim 14, wherein the portion is reconfigurable;

regarding claim 15, wherein the portion is reconfigurable responsive to a condition of the active network;

regarding claim 16, wherein the condition is one of over-capacity and undercapacity;

regarding claim 17, wherein the condition is a failure in the active network;

regarding claim 18, the data transport medium defining a plurality of potential

communication paths between the first device and the second device; reserving a

portion of the plurality of potential communication paths for communications from or

to the first device; transporting data from or to the first device using the data

transport medium inclusive of the portion and transporting data from or to the

second device using the data transport medium exclusive of the portion;

regarding claim 19, wherein the step of reserving a portion of the data transport

medium comprises reserving at least one communication path between the first

device and the second device;

regarding claim 20, comprising the step of reconfiguring the portion;
regarding claim 21, comprising the step of reconfiguring the portion responsive to
a condition of the active network.

Bertin et al. discloses a system for selecting a path comprising the following features:

Art Unit: 2616

regarding claim 1, as depicted in Fig. 1, the active network (200) having an overall communication capability and a portion of the overall communication being reserved for communication usage by the first device (202);

regarding claim 2, the portion being exclusively reserved for the first device (202); regarding claim 3, wherein an unreserved portion of the overall communication capability is shared by each of the first and second devices (202, 203);

regarding claim 4, wherein the portion comprises a plurality of communication paths between the first device (202) and the second device (203);

regarding claim 5, wherein the portion is reconfigurable (see abstract);

regarding claim 6, wherein the portion is reconfigurable responsive to a condition of the active network (see abstract); regarding claim 7, wherein the condition is one of over-capacity and under-capacity (see column 2-3);

regarding claim 8, wherein the condition is a failure in the active network (see column 4, lines 1-5);

regarding claim 9, wherein the active network comprises a packet data network (200);

regarding claim 11, a portion of the active network elements, the portion being reserved for communication usage by the first device (202);

regarding claim 12, wherein the portion is exclusively reserved for the first device (202), see abstract;

regarding claim 13, wherein the portion includes a plurality of communication paths between the first device (202) and the second device (203);

regarding claim 14, wherein the portion is reconfigurable (see abstract);

Art Unit: 2616

regarding claim 15, wherein the portion is reconfigurable responsive to a condition of the active network (see column 2-3);

regarding claim 16, wherein the condition is one of over-capacity and undercapacity (see column 2-3); regarding claim 17, wherein the condition is a failure in the active network (see column 4, lines 1-5);

regarding claim 18, as depicted in Fig. 1, the data transport medium (200) defining a plurality of potential communication paths between the first device (202) and the second device (203); reserving a portion of the plurality of potential communication paths for communications from or to the first device; transporting data from or to the first device using the data transport medium inclusive of the portion and transporting data from or to the second device using the data transport medium exclusive of the portion, see abstract;

regarding claim 19, wherein the step of reserving a portion of the data transport medium comprises reserving at least one communication path between the first device (202) and the second device (203);

regarding claim 20, comprising the step of reconfiguring the portion, see column 9-11;

regarding claim 21, comprising the step of reconfiguring the portion responsive to a condition of the active network, (see column 4, lines 1-5).

Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to modify the system of Matsuda et al., by using the features, as taught by Bertin et al., in order to provide an efficient data conununication system. See Bertin et al., Abstract, lines 14-19.

(10) Response to Argument

On pages 4-8, referring to the Declaration under 37 CFR 1.132 and References Appellant argues that an active network is known to include nodes performing custom operations on messages, and an active node is a defined physical structure. This argument is not persuasive for several reasons. First, the claims do not include means plus function language such that claim limitation must be interpreted to read on structures disclosed in the specification. Second, no definite structure or functions of an active network are found in the specification, and it is not seen how the active networks disclosed in the references cited are related to the active network disclosed in the specification. Third, "custom operations" such as being aware of the contents of messages and participating in processing and modification of messages are not even mentioned in the claims (Brief, page 13) or the specification; thus, it is irrelevant whether the reference show these operations or not. The Affidavit under 37 CFR 1.132 filed 10/01/2003 is insufficient to overcome the rejection of claims 1-9, 11-21 because the facts presented are not germane to the rejection at issue. Specifically, "custom operations" such as being aware of the contents of messages and participating in processing and modification of messages are not even mentioned in the claims or the specification. In addition, there is no correlation between the active network mentioned in the specification and the active networks described in the references.

On page 5, second paragraph, Appellant states that Examiner agrees Matsuda et al. do not teach an active network and that such teachings must be found elsewhere in that in response to the applicant's contention that neither Matsuda et

Art Unit: 2616

al. or Bertin et al. teach an active network the examiner points only to Bertin et al. to support the contention that an active network is disclosed.

Moreover, on page 6, Appellant argues that Matsuda et al. do not teach an active network. Examiner respectfully disagrees with these arguments. First of all, Examiner has never agreed that the primary reference of Matsuda et al. does not disclose an active network. It is noted that the specific physical structure for the "active network" is not claimed; and the specification does not set out any special definition with reasonable clarity, deliberateness, and precision. According to page 8 of the specification, an active network may include a plurality of active elements enabling communication paths. The active network may be based on packet data principles, such as TCP/IP, ATM, etc.; and the active network may incorporate a fabric of active network elements. Thus, it is clear that the terms "active network" are not defined in the specification reasonable clarity, deliberateness, and precision. See Teleflex Inc. V. Ficosa North America Corp., 229 F.3d 1313, 13256, 63 USPQ2d 1374, 1381 (Fed. Cir. 2002), Rexnord Corp. v. Laitram Corp., 274 Fad 1336, 1342, 60 USPQ2d 1851, 1854 (Fed. Cir. 2001) and MPEP 2111.01 Therefore, it is improper for the Examiner to give words of the claims special meaning when no such special meaning has been defined by the written description. As discussed above, the claimed active network reads on the bus network 18 depicted in Fig. 1 of Matsuda et al.

On page 6, last paragraph, "Bertin teach only", Examiner notes that subheading "B. Bertin et al. do not disclose an active network" is missing (Appeal Brief dated 10/14/2004). Examiner believes this is an oversight.

Art Unit: 2616

On page 6, Appellant argues that nowhere in Bertin et al. is the network described as being capable of performing custom operations on the messages that pass through the nodes; being aware of the contents of the messages transported or being able to participate in the processing and modification of the message while it travels through the network (Emphasis added). Examiner respectfully disagrees with these arguments. It is noted that the above arguments are irrelevant with respect to the rejected claims, because the preceding argued features are not recited in the rejected claims. As discussed in the preceding rejections, it is found that the combined reference of Matsuda et al. and Bertin et al. disclose all the claimed limitations. Therefore, it is respectfully submitted that the combined reference of Matsuda et al. and Bertin et al. would have been obvious to arrive the claimed invention.

On pages 7-8, Appellant argues that the combination of Matsuda et al. and Bertin et al. does not render the claimed invention unpatentable; there is no suggestion in Matsuda et al. to use any other network structure than the taught therein; Bertin et al. is not directed to vehicle applications at all, and the special requirements of vehicle applications in relation to reliable and guaranteed message delivery or failsafe considerations are not addressed. Examiner respectfully disagrees with these arguments. Matsuda et al. discloses a network 18 of Fig. 1 in a vehicle.

Moreover, the features of reserving and communication capacity or bandwidth, reconfiguration network bandwidth in response to over-capacity, undercapacity, and failure are well known in the art of data communications. Bertin et al. teaches all these well-known features, as described in the rejections above.

Art Unit: 2616

It would have been obvious to one the ordinary skill in the art to implement these well-known features for providing an efficient data communication. Indeed, Bertin et al. discloses that the purpose of an efficient bandwidth management is to reserve on the links as many bandwidth as possible with a guaranteed quality of service, and to use the inherent remaining bandwidth to transport traffic from the users who are just expecting a best effort service. See Bertin et al., Abstract, lines 14-19. Furthermore, the references of Matsuda et al. and Bertin et al. are in the same field of endeavor; the field of endeavor is the data communications in a network. Therefore, it is respectfully submitted that the combination of Matsuda et al. and Bertin et al. is proper and would have been obvious to arrive the claimed invention.

Page 11

For these reasons, it is believed that the rejections should be sustained.

(11) Related Proceeding (s) Appendix

No related proceedings identified.

Art Unit: 2616

Respectfully submitted,

AFSAR QURESHI PRIMARY EXAMINER

Afsar M. Qureshi

8/3/2006

Conferees:

Chi Pham

Chau Nguyen

MOTOROLA, INC.

CORPORATE LAW DEPARTMENT - #56-238

3102 NORTH 56TH STREET

PHOENIX, AZ 85018